

Milk Pap Baby's First Pap

Preparation

Choose amount of water and pap powder depending on age and appetite according to dosage table.



Boil fresh drinking water and leave it to cool down to about 50 °C.



Put the recommended amount of powder (according to table) into a pap dish.



Measure boiled water (according to table), add to powder and stir.



Let it swell until it reaches the required consistency. Check temperature.

The special HiPP ingredients

46 % Follow-on milk (skimmed milk powder, vegetable oils (sunflower oil, rapeseed oil, coconut oil), maltodextrin, whey powder partially demineralised, vitamin C, ferrous sulphate, zinc sulphate, vitamin E, niacin, pantothenic acid, vitamin B₁, vitamin A, vitamin B₆, vitamin B₂, potassium iodate, folic acid, copper sulphate, vitamin K, sodium selenate, vitamin D, biotin), 26 % rice semolina, whey powder partly demineralised, corn flour, fibre (galacto-oligosaccharides from lactose), calcium carbonate, extract of bourbon vanilla, vitamin B₁, vitamin A, Vitamin D.

Important information

- For the sake of your baby's health it is important to adhere to the instructions for preparation and the quantities indicated.
- Always feed your baby the milk pap using a spoon and prepare it freshly for each meal.
- Seal opened sachet well after using, store at room temperature in a dry and hygienic manner – use up content within 3-4 weeks.
- Please do not warm up the pap in the microwave oven (danger of scalding).
- Ensure regular dental care at bedtime from your baby's first tooth onward and do not feed your baby afterwards.

Please pay attention to your baby's balanced diet and healthy way of living.

Prebiotic dietary fibres (GOS*)

- Prebiotic dietary fibres (GOS*) can also be found in breast milk and support baby's healthy intestinal flora.
- HiPP milk paps Praebiotik® are ideal in combination with HiPP Combiotic® milk formulae.

Open hiPP Stefan Jip

*Galactooligosaccharides – derived from lactose

The proper dosage

Every baby is different, so daily portions of pap may vary greatly. Our dosage table is intended to help you preparing different amounts of milk pap correctly.

	Powder (g)	Water (ml)	Portion (g)
from 4 months	40 (3-4 table spoons)	120	160
from the 6 th month	45 (approx. 4 table spoons)	135	180
from the 8 th month	50 (4-5 table spoons)	150	200

Composition

	per 100 g powder	per ready to eat portion 160 g
energy kJ	1,843	737
kcal	437	175
fat (of which)	11.8 g	4.7 g
- saturates	2.6 g	1.0 g
carbohydrate (of which)	70.3 g	28.1 g
- sugars	32.0 g	12.8 g
fibre	2.4 g	1.0 g
protein	11.3 g	4.5 g
salt*	0.23 g	0.10 g
sodium	0.09 g	0.04 g
potassium	370 mg	150 mg
chloride	120 mg	48 mg
calcium	475 mg	119 %**
phosphorus	230 mg	92 mg
magnesium	31 mg	12 mg
iron	3.0 mg	1.2 mg
zinc	2.2 mg	55 %**
copper	95 µg	38 µg
iodine	44 µg	63 %**
selenium	15 µg	6.0 µg
manganese	230 µg	92 µg
vitamin A	400 µg	100 %**
vitamin D	8.0 µg	80 %**
vitamin E	5.5 mg	2.2 mg
vitamin K	18 µg	7.2 µg
vitamin C	42 mg	168 %**
vitamin B ₁	0.68 mg	0.27 mg
vitamin B ₂	0.70 mg	0.28 mg
niacin	1.8 mg	0.72 mg
vitamin B ₆	0.20 mg	0.08 mg
folic acid	50 µg	20 µg
vitamin B ₁₂	1.1 µg	0.4 µg
pantothenic acid	2.7 mg	1.1 mg
biotin	9.5 µg	3.8 µg
进一步营养素值		
linoleic acid (Omega-3-FA)	0.26 g	0.10 g
galacto-oligosaccharides	1.6 g	0.6 g

*calculated from the natural amount of ingredients

**% of daily requirements

What's in it

- follow-on milk to suit age
- As a basis for our milk paps, we use follow-on milk, which meets babies' requirements and is suitable as an ingredient in paps from 4 to 6 months. For the sake of your baby's health, follow-on milk contains*:
 - calcium & vitamin D important for the formation of bones
 - zinc & vitamin C for the body's own defences
 - iodine supports the thyroid function
 - vitamin A supports the immune system
- *as required by law
- omega-3 fatty acids (ALA) important for brain and nerve cells
- prebiotic dietary fibres (GOS*) support healthy intestinal flora when consumed on a daily basis
- *galactooligosaccharides derived from lactose
- valuable, easily digestible cereal (gluten-free)

What's not in it

- artificial flavouring*
- added colouring*
- preservatives*

*as required by law

FROM
4
MONTHS

HiPP

Baby's First Pap

HiPP

Milk Pap Baby's First Pap

PRAEBIOTIK®

prebiotic
dietary
fibres (GOS)

Prepare with water

AL2951-C



9 062300 113683

HiPP's freshness guarantee: The foil sachet guarantees optimal freshness and aroma protection. This product left our house in perfect condition – please make sure the sachet is undamaged before using. Foil sachet and box must be recycled separately. Store in a dry place at room temperature. Use up the opened sachet within 3-4 weeks.

If properly stored, the originally sealed bag is best before: see top of package.

11_1585EM
FS4 03/15

Use

This milk pap is an ideal meal for children being fed weaning food, and is suitable from 4 months to complement breastfeeding or infant formulae fed from a bottle. If you want to switch over to using follow-on milk for bottle meals before your baby is six months old, please consult with your paediatrician.

From idea to conviction

Years of experience and scientific progress serve to guarantee the very high quality of HiPP milk paps. Our nutritional experts constantly face the challenge of keeping the milk paps from HiPP up to the latest technical standard. And all of this we do gladly for the natural and healthy development of your baby.

- Extensive raw material checks.
- Constant monitoring during production.
- Stringent control of toxic substances.
- Without any genetically modified ingredients.

If you have any questions concerning your baby's diet

Exporter

HiPP GmbH & Co. Export KG,
Theresienthalstraße 68,
4810 Gmunden, Austria

Producer

Vivera d.o.o. (a member of
HiPP Group), Ulica kralja
Zvonimira 1,
44400 Glika, Croatia

Filling height due to technical
reasons. Packed in a protective
atmosphere.
Best before: see top of package.

Milk Pap Baby's First Pap

AL2951-C e 250g

კერძოიან ღონისძიებები	100გრ უფრობრივა	160 გრ მას უფრობრივა
ქნებულ-კულტურული ძაღლების დაზიანებულია, არ აქვთ	1843/437	737/175
ცხიბი	11,8გრ	4,7გრ
-ნავაქირი ცხიმისვანი უფრობრივი	2,6გრ	1,0გრ
ნასახისწერული	70,3გრ	28,1გრ
-პერსიანი	32,0გრ	12,8გრ
კუპრინი ძაღლები	2,4გრ	1,0გრ
ცვილი	11,3გრ	4,5გრ
ნატრონები	0,09გრ	0,04გრ
კალივაზი	370გრ	150გრ
ქვერცხლი	120გრ	48გრ
კალივაზი	475გრ	190გრ
კალივაზი	230გრ	92გრ
შაბანაში	31გრ	12გრ
რიცანი	3,0გრ	1,2გრ
ორივა	2,2გრ	0,9გრ
სასახლები	954გრ	389გრ
ივილი	449გრ	189გრ
ჩელენიარიში	150გრ	60გრ
მარგარენი	230გრ	92გრ
კორპლინი A	400გრ	160გრ
კორპლინი D	8,0გრ	3,2გრ
კორპლინი E	5,5გრ	2,2გრ
კორპლინი K	181გრ	72,9გრ
კორპლინი C	42გრ	17გრ
კორპლინი B₁	680გრ	0,27გრ
კორპლინი B₂	700გრ	0,28გრ
ნიცვინი	18000გრ	0,72გრ
კორპლინი B₃	200გრ	0,08გრ
კორპლინი ქავა	503გრ	209გრ
კორპლინი B₁₂	1,13გრ	0,44გრ
ანასოცენტის ქავა	27000გრ	1,18გრ
კორტინი	9,5გრ	3,8გრ
სხვა პარტია დაზიანებულია		
- ლინიერულის ჭავა (იმერეთი) 3 ცხიმ-ჭავა		
- გალატის ჭავა ლინიერულის ჭავა		